


(b) STRIPPING DIMENSION



plating	part no.
GOLD FLASH over NICKEL	<b>131A10039X</b>
30µin HARD GOLD over min. 50µin NICKEL	<b>131C10039X</b>
50µin HARD GOLD over min. 50µin NICKEL	<b>131J10039X</b>

pos	qty	description	material	plating
3	1	RETAINING RING	COPPER ALLOY	NICKEL PLATED
2	1	REAR SIDE	COPPER ALLOY	GOLD FLASH over NICKEL
1	1	MATING SIDE	COPPER ALLOY	SEE TABLE

partlist				tolerance	dim. in mm	scale:	5:1
THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY WAY, AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC GmbH DO NOT ALTER CAD DRAWING BY HAND				date	name	material:	see notes
				drawn	23.03.98	Barcinski	title: <b>HIGH POWER CONTACT MALE</b> SOLDER CUP 30A D-SUB COMBINATION
				appd.	23.03.98	Mickenbecker	
				norm			
4 x b	A4657	20.02.2013	K.H.	d-old		dwg no:	
a	Original						
rev.	description	date	name			part no:	(b) see table

Directive 2011/65/EU RoHS compliant

DIN-A3

sh: 1