



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
		C		REVISED PER ECO-14-006554	09MAY2014	NK	MM



- 1 THE NOTED DIMENSIONS APPLY AT THE INTERSECTION OF THE POST AND HOUSING.
- 2 BREAKAWY NOTCH ANGLE CAN BE ORIENTED TO THE RIGHT (AS SHOWN) OR TO THE LEFT.
- 3 HOUSING: GLASS FILLED THERMOPLASTIC, COLOR, BLACK. (WILL WITHSTAND VAPOR PHASE REFLOW).
- 4 0.000076[.0000030] MIN GOLD OVER 0.00068[.000027] Pd/Ni ON CONTACT AREA, 0.00254-0.00508 [.000100-.000200] MATTE TIN, ON SOLDER TAIL, ALL OVER 0.00127 [.000050] NICKEL.



RECOMMENDED PC BOARD MOUNTING DIMENSIONS FOR 1.60 [.063] THICK PC BOARD AND 0.305 [.0120] STENCIL THICK.

4	101.19 [3.984]	99.08 [3.900]	39	40	4-1977960-0
4	2.13 [.084]	-	0	1	1977960-1
PLATING	C	B	A	NO OF POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	20SEP2013		 TE Connectivity
DIMENSIONS: mm [INCHES]		CHK	20SEP2013		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	20SEP2013		
0 PLC ± - 1 PLC ± - 2 PLC ± 0.51[.020] 3 PLC ± 0.127[.005] 4 PLC ± 0.0127[.0005] ANGLES ± -		NAME	MIKE MILLER		
MATERIAL	FINISH	WEIGHT	SIZE	CAGE CODE	DRAWING NO
3	SEE TABLE	-	A2	00779	C=1977960
CUSTOMER DRAWING			SCALE	SHEET	REV
			4:1	1 of 1	C