

## Sensor/Actuator cable - SAC-3P-MICFS/ 3,0-PUR - 1527003

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Sensor/Actuator cable, 3-position, PUR/PVC, Black-gray RAL 7021, Free cable end, on Socket straight 1/2"-20UNF, C-coded, Cable length: 3 m



### Key commercial data

Packing unit	1 1
Minimum order quantity	25 1
Weight per Piece (excluding packing)	150.0 GRM
Custom tariff number	85444290
Country of origin	United States

### Classifications

#### eCl@ss

eCl@ss 4.0	27060306
eCl@ss 4.1	27060306
eCl@ss 5.0	27061801
eCl@ss 5.1	27061801
eCl@ss 6.0	27061801
eCl@ss 7.0	27061801
eCl@ss 8.0	27061801

#### ETIM

ETIM 3.0	EC001855
ETIM 4.0	EC001855
ETIM 5.0	EC001855

#### UNSPSC

UNSPSC 6.01	31251501
UNSPSC 7.0901	31251501

# Sensor/Actuator cable - SAC-3P-MICFS/ 3,0-PUR - 1527003

## Classifications

### UNSPSC

UNSPSC 11	31251501
UNSPSC 12.01	31251501
UNSPSC 13.2	31251501

## Approvals

### Approvals

---

#### Approvals

UL Listed / cUL Listed / cULus Listed

---


#### Ex Approvals


---


#### Approvals submitted

---

## Approval details

UL Listed 	
Nominal current IN	4 A
Nominal voltage UN	300 V


cUL Listed 	
Nominal current IN	4 A
Nominal voltage UN	300 V

cULus Listed 	
--	--

## Drawings


# Sensor/Actuator cable - SAC-3P-MICFS/ 3,0-PUR - 1527003

Schematic diagram




Pin assignment 1/2"-20UNF socket, 2-pos., view female side

Cable cross section




PUR/PVC black [350]

Dimensioned drawing



1/2"-20UNF socket, straight

Circuit diagram



Contact assignment of 1/2" UNF plugs / sockets