





| LOC | DIST | REVISIONS | | | |
|-----|------|-------------|---------------------------|-----------|-------|
| P | LTN | DESCRIPTION | DATE | DWN | APVD |
| GP | 00 | E | REVISED PER ECO-13-010626 | 31JUL2013 | KH RP |



- △ MATERIAL:
CONTACT - PHOS BRONZE
HOUSING - LCP, UL 94V-0, COLOR - BLACK
- △ FINISH:
CONTACT AREA FINISH CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-2303; BASED ON TELCORDIA GR-1217-CORE FOR SYSTEM QUALITY LEVEL III, APPLICATIONS IN CONTROLLED ENVIRONMENTS (CENTRAL OFFICE).
COMPLIANT PIN AREA- 0.5µm MIN MATTE TIN OVER 1.27µm MIN NICKEL.
- △ CONNECTOR MARKED WITH PART NUMBER, DATE CODE AND STANDARD IN APPROXIMATE AREA SHOWN
- △ DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 5. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE GR-1217-CORE, ISSUE 1, NOVEMBER 1995.
- △ REFERENCE APPLICATION SPEC 114-13202 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.



△ ⊕ ∅ 0.05 ⊕ X Y
FINISHED HOLE SIZE AND PLATED THRU HOLES



○ = SIGNAL
⊗ = GROUND
RECOMMENDED PC BOARD LAYOUT BACKPLANE, COMPONENT SIDE SHOWN
SCALE 6:1

1934311-1
PART NUMBER

| | | | |
|--|----------|---------------------------|---|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN B. MCMASTER 13JUN2007 | TE Connectivity |
| DIMENSIONS: mm | | CHK W. DAVIS 13JUN2007 | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD W. DAVIS 13JUN2007 | NAME HEADER ASSEMBLY, OPEN ENDED, 4 PAIR 10 COLUMN TinMan |
| 0 PLC ± | 1 PLC ± | PRODUCT SPEC | APPLICATION SPEC |
| 2 PLC ± | 3 PLC ± | APPLICATION SPEC | SIZE CAGE CODE DRAWING NO RESTRICTED TO |
| 4 PLC ± | ANGLES ± | WEIGHT | A100779C=1934311 |
| MATERIAL | FINISH | CUSTOMER DRAWING | SCALE 10:1 SHEET 1 OF 1 REV E |