

Specification Sheet

Part Number: T50ML0M4



Screw-Mount Cable Tie, 15.4" Long, #10 Screw, 4.0" Max Bundle Dia, 50lb, PA66, Black, 1000/pkg

Article Number	113-00035
Type	T50ML
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Mount design secures firmly with any #10 Screw.• Screw mount style creates low insertion and high extraction force.
Quantity Per	bag
Product Description	Screw Mount Cable Ties are made of all plastic and provide a quick and simple method of mounting.
Short Description	Screw-Mount Cable Tie, 15.4" Long, #10 Screw, 4.0" Max Bundle Dia, 50lb, PA66, Black, 1000/pkg
Global Part Name	T50ML-PA66-BK

Minimum Tensile Strength (Imperial)	50.0
Minimum Tensile Strength (Metric)	225
Length L (Imperial)	15.4
Length L (Metric)	390.0
Fixation Method	Fixing hole
Identification Plate Position	none
Releasable Closure	No
Tie Closure	plastic pawl
Variant	Inside Serrated
Width W (Imperial)	0.18
Width W (Metric)	4.7
Bundle Diameter Min (Imperial)	0.12
Bundle Diameter Min (Metric)	3.0
Bundle Diameter Max (Imperial)	4.0
Bundle Diameter Max (Metric)	100.0
Height H (Imperial)	0.23
Height H (Metric)	5.84

Mounting Hole Diameter D (Imperial) 0.22

Mounting Hole Diameter D (Metric) 5.5 mm

Mounting Hole Diameter D Max (Metric) 5.5

Material Polyamide 6.6 (PA66)

Material Shortcut PA66

Flammability UL 94 V2

Operating Temperature (Metric) -40°F to +221°F (-40°C to +105°C)

ROHS Complaint Yes

Certification/Specification WEB UL

UL Recognized (US) Yes

UL Recognized (US and Canada) Yes

Package Quantity(Imperial) 1000

Package Quantity (Metric) 1000

Customs Number 3926909987

© 2018 HellermannTyton. All rights reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)